Application No. 10/602,579
Docket No.2003U014.US
Reply to Office Action Dated November 01, 2004

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

 (Original) A catalyst system comprising: one or more polymerization catalysts; and

an activator comprising one or more heterocyclic nitrogen-containing ligands coordinated to a Group 13 atom, wherein the activator is a reaction product of one or more alkyl substituted Group 13 atom-containing compounds and one or more heterocyclic nitrogen-containing compounds, the one or more heterocyclic nitrogen-containing ligands represented by:

wherein each substituent X2, X3, X4, X5, X6, and X7 is independently selected from the group consisting of hydrogen, chlorine, fluorine, iodine, and bromine.

- 2. (Original) The catalyst system of claim 1, wherein X4 is chlorine, fluorine, iodine, or bromine and X2, X3, X5, X6, and X7 are hydrogen.
- 3. (Original) The catalyst system of claim 1, wherein X5 is chlorine, fluorine, iodine, or bromine and X2, X3, X4, X6, and X7 are hydrogen.

Application No. 10/602,579
Docket No.2003U014.US
Reply to Office Action Dated November 01, 2004

- 4. (Original) The catalyst system of claim 1, wherein X6 is chlorine, fluorine, iodine, or bromine and X2, X3, X4, X5, and X7 are hydrogen.
- 5. (Original) The catalyst system of claim 1, wherein both X4 and X5 is chlorine, fluorine, iodine, or bromine and X2, X3, X6, and X7 are hydrogen.
- 6. (Original) The catalyst system of claim 1, wherein both X5 and X6 are chlorine, fluorine, iodine, or bromine, and X2, X3, X4 and X7 are hydrogen.
- 7. (Original) The catalyst system of claim 1, wherein the polymerization catalyst comprises one or more metallocenes, Group 15-containing compounds, phenoxide transition metal compositions, Group 5 or 6 metal imido complexes, bridged bis(arylamido) Group 4 compounds, derivatives thereof, or combinations thereof.
- 8. (Original) The catalyst system of claim 1, wherein the Group 13 atom is aluminum.
- 9. (Original) The catalyst system of claim 1, wherein the Group 13 atom is boron.
- (Original) The catalyst system of claim 1, further comprising a support material.
- 11. (Original) The catalyst system of claim 1, further comprising a support material that comprises silica.
- 12. (Currently amended) The catalyst system of claim 1, further comprising a support material treated with <u>an aluminoxane</u> or an alkyl aluminum compound such that the support comprises aluminum alkyls alkyl groups bonded thereto.
- (Original) A catalyst system comprising:
 one or more polymerization catalysts; and

Application No. 10/602,579 Docket No.2003U014.US

Reply to Office Action Dated November 01, 2004

an activator comprising one or more heterocyclic nitrogen-containing ligands coordinated to an aluminum atom, wherein the activator is a reaction product of one or more alkyl substituted aluminum-containing compounds and one or more heterocyclic nitrogen-containing compounds, the one or more heterocyclic nitrogen-containing ligands represented by:

wherein each substituent X2, X3, X4, X5, X6, and X7 is independently selected from the group consisting of hydrogen, chlorine, fluorine, iodine, and bromine.

- 14. (Original) The catalyst system of claim 13, wherein each substituent X2, X3, X4 and X7 is hydrogen and X5 and X6 are independently selected from the group consisting of hydrogen, chlorine, fluorine, iodine, and bromine
- 15. (Currently amended) The catalyst system of claim 13, further comprising a support material treated with <u>an aluminoxane</u> or an alkyl aluminum compound such that the support comprises aluminum alkyls alkyls groups bonded thereto.
- 16. (Original) The catalyst system of claim 13, wherein the polymerization catalyst comprises one or more metallocenes, Group 15-containing compounds, phenoxide transition metal compositions, Group 5 or 6 metal imido complexes, bridged bis(arylamido) Group 4 compounds, derivatives thereof, or combinations thereof.
- 17. (Currently amended) A catalyst system comprising: one or more polymerization catalysts; at least one activator; and

Application No. 10/602,579
Docket No.2003U014.US
Reply to Office Action Dated November 01, 2004

a support material treated with <u>an aluminoxane</u> or an alkyl aluminum compound such that the support comprises aluminum alkyls alkyl groups bonded thereto;

wherein the activator is represented by one of the following formulas:

(a) $(R'_X M (JY)_Y)_n$

OT

- (b) $[((JY)_{y} R'_{x})_{n} M-O-M ((R'_{x} (JY)_{y})_{n}]_{m}$ or
- (c) $(OMR'_X(JY)_y)_n$

wherein M is aluminum, O is oxygen, and (JY) is a heterocyclic nitrogencontaining ligand represented by:

wherein each substituent X2, X3, X4, X5, X6, and X7 is independently selected from the group consisting of hydrogen, chlorine, fluorine, iodine, and bromine;

wherein n is 1 or 2 in formula (a); n is 2 in formula (b); and n is an number from 1 to 1,000 in formula (c);

wherein m is a number from 1 to 10;

wherein x + y = the valence of M in formula (a); x + y = the valence of M - 1 in formula (b); and x + y = valence of M - 2 in formula (c); and wherein each R' is a substituent group bonded to M.

18. (Currently amended) The catalyst system of claim 17, wherein each R' is independently selected from the group consisting of methyl, ethyl, propyl, butyl, pentyl, hexyl, cyclopentyl, cyclohexyl, and isomers thereof hydrogen, linear or branched alkenyl radicals, linear or branched

Application No. 10/602,579 Docket No.2003U014.US

Reply to Office Action Dated November 01, 2004

alkoxy radicals, aryloxy radicals, alkylthio radicals, dialkylamino radicals, alkoxycarbonyl radicals, alkylthio radicals, dialkylamino radicals, alkylthio radicals, dialkylamino radicals, alkyl radicals, dialkyl radicals, carbamoyl radicals, acyloxy radicals, acyloxy radicals, acyloxy radicals, acyloxy radicals, acyloxy radicals, acyloxy radicals, acyloxo radicals, acyloxo radicals, branched alkylene radicals, cyclic alkylene radicals, derivatives thereof, and combinations thereof

- 19. (Currently amended) The catalyst system of claim 17, wherein each R' is bonded to the support material and is independently selected from the group consisting of hydrogen, linear or branched alkyl radicals, linear or branched alkynyl radicals, linear or branched alkynyl radicals, eycloalkyl radicals, aryl-radicals, acyl radicals, aroyl-radicals, alkoxy-radicals, aryloxy-radicals, alkylthio-radicals, dialkylamino-radicals, alkoxyearbonyl radicals; aryloxyearbonyl radicals, carbomoyl radicals, alkyl-radicals, dialkyl-radicals, carbamoyl radicals, acyloxy-radicals, acyloxy-radicals, acylomy-radicals, acylomy-radicals, acylomy-radicals, acylomy-radicals, acylomino-radicals, straight-alkylene-radicals, branched alkylene-radicals, cyclic alkylene-radicals, derivatives-thereof, and combinations thereof.
- 20. (Original) The catalyst system of claim 17, wherein each substituent X2, X3, X4 and X7 is hydrogen, and X5 and X6 are independently selected from the group consisting of hydrogen, chlorine, fluorine, iodine, and bromine
- 21. (Original) The catalyst system of claim 1, wherein the heterocyclic nitrogencontaining ligand is selected from the group consisting of 4-bromoindole, 4chloroindole, 4-fluoroindole, 5-bromoindole, 5-chloroindole, 5-fluoroindole, 4,5,6,7-tetrafluoroindole, 2-methylindole, and 3-methylindole.

22-24 (Cancelled)